

SECTION 1: IDENTIFICATION**Product Identifier****Product Name:** EJ-500 Part A Resin**Product Form:** Mixture**Intended Use of the Product**

Epoxy cement. To be used with EJ-500 Part B Hardener.

Name, Address, and Telephone of the Responsible Party

Company/Manufacturer: Eljen Technology
Address: 1300 W. Broadway
SWEETWATER, TEXAS 79556
USA
Phone: (325) 235-4276
Fax: (325) 235-0701
Website: www.eljentechnology.com

Emergency Telephone Number

Emergency Number: ChemTel (24 hours)
United States, Canada, Puerto Rico, U.S. Virgin Islands: 1 (800) 255-3924
International: 1 (813) 248-0585 (Collect calls are accepted)

SECTION 2: HAZARDS IDENTIFICATION**Classification of the Substance or Mixture**

Classification (GHS-US):
Skin irritation, Category 2 H315
Eye irritation, Category 2A H319
Skin sensitization, Category 1 H317

Label Elements**GHS-US Labeling:****Hazard Pictograms (GHS-US):****Signal Word (GHS-US):** Danger**Hazard Statements (GHS-US):**

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Precautionary Statements (GHS-US):

P261 Avoid breathing vapors, mist, or spray.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.

EJ-500 Part A Resin

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

P280	Wear protective gloves, eye protection, and face protection.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321	Specific treatment (see section 4 on SDS).
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with all local, regional, national, provincial, territorial and international regulations.

Hazards Not Otherwise Classified

None identified.

Components With Unknown Acute Toxicity (GHS-US)

Not applicable.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Hazardous Components:

Any hazardous components not listed below are not present in quantities requiring disclosure.

Name	Product Identifier	Concentration (%)*
Epoxy resin	Proprietary	60 – 100
Epoxy resin	Proprietary	1 – 5

*Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur, go into open air and ventilate suspected area. Call a poison center or a doctor if you feel unwell.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash contaminated clothing before reuse. Seek medical attention immediately if skin irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Dilute with large quantities of water. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

Most Important Symptoms and Effects, Both Acute and Delayed

Inhalation: May cause respiratory tract irritation. Inhalation of vapors at elevated temperatures may cause irritation.

Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Eye Contact: Causes serious eye irritation.

Ingestion: May cause irritation to the gastrointestinal tract, mouth and mucous membranes.

EJ-500 Part A Resin

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Chronic Symptoms: None known.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If any of the above symptoms are present and persist, seek immediate medical attention.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Agents: Water spray (fog), foam, dry chemical or carbon dioxide.

Special Hazards Arising from the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Closed containers may rupture (due to build-up of pressure) when exposed to extreme heat.

Reactivity: No data available.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting instructions: In case of fire, keep containers cool with water spray. Do not breathe fumes from fires or vapors from decomposition. Do not allow run-off from firefighting to enter drains or water courses.

Protection During Firefighting: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Hazardous Combustion Products: Carbon oxides. Irritating vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all unnecessary exposure.

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Ventilate area. Evacuate unnecessary personnel. Stop leak if safe to do so.

Environmental Precautions

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Store in a closed container until ready for disposal. Spilled material and water rinses are classified as chemical waste and must be disposed of in accordance with current local, state/provincial and federal regulations.

Reference to Other Sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

EJ-500 Part A Resin

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

Incompatible Materials: Strong oxidizing agents. Acids and bases.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Product contains no substances with occupational exposure limit values.

Exposure Controls

Appropriate Engineering Controls: Use only with adequate mechanical exhaust ventilation. Safety showers and eye wash stations should be available.

Personal Protective Equipment

Eye/Face Protection: Wear safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists.

Skin and Body Protection: Use chemical resistant, impermeable clothing, including gloves and either an apron or body suit to prevent skin contact.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Appearance	: Transparent, light yellow liquid
Odor	: Slight
Odor Threshold	: No data available
pH	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point/Boiling Range	: No data available
Flash Point	: 199°C (390°F) (cc)
Evaporation Rate	: No data available
Flammability (solid, gas)	: No data available
Lower Flammability/Explosion Limit	: No data available
Upper Flammability/Explosion Limit	: No data available
Vapor Pressure	: < 1mm Hg at 21°C
Vapor Density	: No data available
Relative Density	: 1.21
Solubility	: Insoluble in water
Partition Coefficient (n-octanal/water)	: No data available
Auto-ignition Temperature	: No data available

EJ-500 Part A Resin

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Decomposition Temperature	: No data available
Viscosity	: No data available
Percent Volatile by Volume	: < 0.1%

SECTION 10: STABILITY AND REACTIVITY

Reactivity: No data available.

Chemical Stability: Stable under recommended storage and handling conditions.

Possibility of Hazardous Reactions: None under normal processing. Polymerization may occur at elevated temperatures or in the presence of incompatible materials.

Conditions to Avoid: Store away from incompatible materials. Keep away from direct sunlight, heat, flames, sparks, and other sources of ignition. Reaction with curing agents is exothermic causing heat build-up when polymerized in large batches. Smoke or toxic fumes may result if excessive heat occurs. When curing, keep mass dimensions small to allow for exothermic dissipation.

Incompatible Materials: Strong oxidizing agents. Acids and bases.

Hazardous Decomposition Products: Oxides of carbon. Irritating vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Acute Toxicity: Not classified.

LD50/LC50 Values That Are Relevant for Classification (Components):

Epoxy resin	No data available
Epoxy resin	No data available

Skin Corrosion/Irritation: Causes skin irritation.

Serious Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified.

Carcinogenicity: Not classified.

NTP	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified.

EJ-500 Part A Resin

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Aspiration Hazard: Not classified.

Symptoms Related to the Physical, Chemical and Toxicological Characteristics

Symptoms/Injuries After Inhalation: May cause respiratory tract irritation. Inhalation of vapors at elevated temperatures may cause irritation.

Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: May cause irritation to the gastrointestinal tract, mouth and mucous membranes.

Chronic Symptoms: None known.

Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: ECOLOGICAL INFORMATION

Avoid release to the environment. Do not allow product to reach ground water, water course or sewage system.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Incineration by a licensed chemical waste facility. Dispose of waste material in accordance with all local, regional, national, provincial, territorial, and international regulations.

SECTION 14: TRANSPORT INFORMATION

In Accordance with DOT

Not regulated for transport.

In Accordance with IMDG

UN Number : 3082
UN Proper Shipping Name : Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin)
Transport Hazard Class : 9
Packing Group : III
Marine Pollutant : Epoxy resin

In Accordance with ICAO/IATA

UN Number : 3082
UN Proper Shipping Name : Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin)
Transport Hazard Class : 9
Packing Group : III

SECTION 15: REGULATORY INFORMATION

Safety, Health, and Environmental Regulations Specific for the Substance or Mixture

US Federal Regulations

TSCA Inventory	All components are listed.
SARA 302 Components	No chemicals in this material are subject to the reporting requirement of SARA Title III, Section 302.

EJ-500 Part A Resin

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

SARA 313 Components	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
SARA 311/312 Hazards	Immediate Health, Delayed Health

US State Regulations

U.S. – California – Proposition 65	WARNING: This product contains chemicals known to the state of California to cause cancer. This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.
---	--

SECTION 16: OTHER INFORMATION

Date of Issue: 12/3/2015

Revision Date: 2/17/2022

Other Information: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Party Responsible for the Preparation of This Document:

Eljen Technology (325) 235-4276

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.